

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-47. (Canceled).

Claim 48. (Previously Presented): A method of extracting glucosinolates and isothiocyanates from plant tissue comprising homogenizing said plant tissue in an excess of a mixture of dimethyl sulfoxide, acetonitrile and dimethylformamide at a temperature sufficient to inactivate myrosinase enzyme activity.

Claim 49. (Previously Presented): The method of claim 48, wherein the ratio of dimethyl sulfoxide:acetonitrile:dimethylformamide is 1:1:1.

Claim 50. (Previously Presented): The method of claim 48, wherein said temperature is between 0°C and the freezing temperature of the extraction mixture.

Claim 51. (Previously Presented): The method of claim 48, wherein said temperature is between -50°C and the freezing temperature of the extraction mixture.

Claim 52. (Previously Presented): The method of claim 48, wherein said plant tissue is rich in glucosinolates.

Claim 53. (Previously Presented): The method of claim 52, wherein said plant tissue is selected from the group consisting of cruciferous sprouts measured after 3 days of growth, cruciferous seeds, plants or plant parts.

Claim 54. (Previously Presented): The method of claim 53, wherein said sprouts, seeds, plants or plant parts have at least 200,000 units per gram fresh weight of Phase 2 enzyme-inducing potential.

Claim 55. (Previously Presented): The method of claim 53, wherein said sprouts, seeds, plants or plant parts have at least 300,000 units per gram fresh weight of Phase 2 enzyme-inducing potential.

Claim 56. (Previously Presented): The method of claim 53, wherein said sprouts, seeds, plants or plant parts have at least 400,000 units per gram fresh weight of Phase 2 enzyme-inducing potential.

Claim 57. (Previously Presented): The method of claim 53, wherein said sprouts, seeds, plants or plant parts have at least 500,000 units per gram fresh weight of Phase 2 enzyme-inducing potential.

Claim 58. (Currently Amended): A method of making a food product comprising extracting glucosinolates and isothiocyanates from plant tissue having at least 200,000 units per gram fresh weight of Phase 2 enzyme-inducing potential ~~a high concentration of glucosinolates and isothiocyanates~~, recovering said glucosinolates and isothiocyanates and adding said glucosinolates and isothiocyanates to food;

wherein said extracting comprises contacting said plant tissue with a non-toxic solvent at a temperature sufficient to inactivate myrosinase enzyme activity.

Claim 59. (Previously Presented): The method according to claim 58, wherein said solvent is water.

Claim 60. (Previously Presented): The method of claim 59, wherein said water is 100°C.

Claim 61. (Previously Presented): The method according to claim 58, wherein said solvent is liquid carbon dioxide.

Claim 62. (Previously Presented): The method according to claim 58, wherein said solvent is ethanol.

Claim 63. (Previously Presented): The method of claim 58, wherein said plant tissue is selected from the group consisting of cruciferous sprouts measured after 3 days of growth, cruciferous seeds, plants and plant parts.

Claim 64. (Cancelled).

Claim 65. (Previously Presented): The method of claim 63, wherein said sprouts, seeds, plants or plant parts have at least 300,000 units per gram fresh weight of Phase 2 enzyme-inducing potential.

Claim 66. (Previously Presented): The method of claim 63, wherein said sprouts, seeds, plants or plant parts have at least 400,000 units per gram fresh weight of Phase 2 enzyme-inducing potential.

Claim 67. (Previously Presented): The method of claim 63, wherein said sprouts, seeds, plants or plant parts have at least 500,000 units per gram fresh weight of Phase 2 enzyme-inducing potential.

Claim 68. (Previously Presented): The method of claim 58 wherein said food product is selected from the group consisting of a bread, a drink, a soup, a salad, a sandwich and a cereal.

Claim 69. (Previously Presented): The method of claim 68 wherein said drink is a tea.

Claim 70. (Previously Presented): The method of claim 58 wherein said extracting further comprises homogenizing said plant tissue with said non-toxic solvent.

Claim 71. (Previously Presented): The method of claim 63 wherein said sprouts, seeds, plants or plant parts have at least 250,000 units per gram fresh weight of Phase 2 enzyme-inducing potential.